

PREFERENCES



PREFERENCE LIST- REMOVABLE

DOCTOR NAME: _____

PRACTICE NAME: _____

OFFICE LOCATION & ADDRESS: _____

BITE RIMS: WAX BASE TRIAD BASE

STANDARD HEIGHT : 18mm upper / 22 mm lower SPECIAL HEIGHT REQUESTED : _____

FULL LENGTH BORDERS SHORT OF VESTIBULES

CUSTOM TRAYS: ALL TRAYS ARE TRIAD MATERIAL

FULL EXTENSION SHORT OF VESTIBULES TO ALLOW BORDER MOLDING

LENGTH PER SPECIAL INSTRUCTIONS : _____

TRY - IN: WAX BASE TRIAD BASE

ANATOMICAL WAX-UP SMOOTH WAX-UP

*preserve original bites and make new bases for the try-in

TEETH:

HOUSE TEETH (Heraeus Kulzer)

PREMIUM TEETH(SPECIFY BRAND) _____

SHADE: VITA Bioform 3D Master

FINISHING:

SMOOTH FINISH ANATOMICAL FINISH

FESTOONING STIPPLING

PALATAL RUGAE FULL LENGTH FLANGES

FLANGES JUST SHORT OF VESTIBULE SPECIAL LENGTH REQUESTED: _____

POLISHING: HIGH SHINE OTHER SPECIFICATIONS

OTHER PREFERENCES NOT LISTED OR COMMENTS:

note: to help achieve consistency in the restorations you receive, all checked boxes will become default for all of your cases unless otherwise instructed.

